



GLISERIS

ALUMINIUM BOATS

SIGMARIS GROUP

ALUMINIUM
BOATS AND
ACCESSORIES

KLAIPEDA, LITHUANIA
PART OF SIGMARIS GROUP

PRODUCTS

ALUMINIUM HULLS

ALUMINIUM BOATS

BOAT ACCESSORIES



MODEL GS 53

SPECIFICATIONS


- LENGTH OF HULL: 5,38 M
- BEAM OF HULL: 2,08 M
- MAX DRAUGHT 0,35M
- WEIGHT W/O ENGINE: 550 KG
- POWER RANGE: 60 HP TO 100 HP
- NUMBER OF PASSENGERS: 5
- PLATE THICKNESS:
BOTTOM/ SIDE 4 MM
- FUEL TANK: 80 L
- CE-APPROVAL: C
- TYPE OF ALUMINUM: 5083 H111

STANDARD EQUIPMENT

- STEERING CONSOLE
- LANTERNS LED
- SWITCH PANEL WITH 12V OUTLETS
- NANO COATED EXTERIOR
- TEMPERED GLASS WINDOWS
- CABLE STEERING
- BOTTOM PAINT (ANTIFOULING)
- SWIM LADDER FOLD DOWN
- SELF-DRAINING HULL
- SEVERAL BENCHES AND STORAGE COMPARTMENTS
- FULL COMPLECT OF SOFT PARTS



MODEL GS 53



MODEL GS 63

SPECIFICATIONS

- LENGTH OF HULL: 6,38 M
- LENGTH WITH SWIM PLATFORMS 7,11 M
- BEAM OF HULL: 2,38 M
- MAX DRAUGHT 0,45M
- WEIGHT W/O ENGINE: 910 KG
- POWER RANGE: 110 HP TO 200 HP
- NUMBER OF PASSENGERS: 7
- PLATE THICKNESS:
BOTTOM/SIDE/CONSOLE 5/4/3
- FUEL TANK: 150 L
- CE-APPROVAL: C

STANDARD EQUIPMENT

- STEERING CONSOLE
- LANTERNS LED
- SWITCH PANEL WITH 12V OUTLETS
- ELECTRICAL INSTALLATION
- HYDRAULIC STEERING
- NANO COATED EXTERIOR
- TEMPERED GLASS
- SWIM LADDER FOLD DOWN
- SELF-DRAINING HULL
- SEATS X 2
- PEDESTAL X2
- FUEL LEVEL SENSOR
- BENCH IN THE BACK
- SEVERAL STORAGE COMPARTMENTS



MODEL GS 63



MODEL GS 63 HARD TOP

SPECIFICATIONS

- LENGTH OF HULL: 6,38 M
- LENGTH WITH SWIM PLATFORMS 7,11 M
- MAX DRAUGHT 0,45M
- BEAM OF HULL: 2,38 M
- WEIGHT W/O ENGINE: 1010 KG
- POWER RANGE: 110 HP TO 200 HP
- NUMBER OF PASSENGERS: 7
- PLATE THICKNESS:
BOTTOM/SIDE/CONSOLE 5/4/3
- FUEL TANK: 150 L
- CE-APPROVAL: C

STANDARD EQUIPMENT

- STEERING CONSOLE
- LANTERNS LED
- SWITCH PANEL WITH 12V OUTLETS
- ELECTRICAL INSTALLATION
- HYDRAULIC STEERING
- NANO COATED EXTERIOR
- TEMPERED GLASS
- SWIM LADDER FOLD DOWN
- SELF-DRAINING HULL
- SEATS X 2
- PEDESTAL X2
- FUEL LEVEL SENSOR
- BENCH IN THE BACK
- SEVERAL STORAGE COMPARTMENTS



MODEL GS 63 HARD TOP



MODEL GS 63 CABIN

SPECIFICATIONS

- LENGTH OF HULL: 6,91 M
- TOTAL LENGTH 7,23 M
- MAX DRAUGHT 0,45M
- BEAM OF HULL: 2,38 M
- WEIGHT W/O ENGINE: 1450 KG
- POWER RANGE: MAX 200 HP
- NUMBER OF PASSENGERS: 7
- PLATE THICKNESS:
BOTTOM/SIDE/CONSOLE 5/4/3
- FUEL TANK: 150 L
- CE-APPROVAL: C

STANDARD EQUIPMENT

- STEERING CONSOLE
- LANTERNS LED
- SWITCH PANEL WITH 12V OUTLETS
- ELECTRICAL INSTALLATION
- HYDRAULIC STEERING
- NANO COATED EXTERIOR
- TEMPERED GLASS WINDOWS
- CORRUGATED FLOOR
- ELECTRONIC BILGE PUMP
- BOTTOM PAINT (ANTIFOULING)
- SACRIFICIAL ANODES
- SWIM LADDER FOLD DOWN
- SELF-DRAINING HULL
- SEATS X 1
- PEDESTAL X 1
- FUEL LEVEL SENSOR
- BENCHES AND STORAGE COMPARTMENTS X 6
- FULL SET OF SOFT PARTS
- LED STRIPES
- PNEUMATIC CABIN TABLE
- INTERIOR FABRICS
- INTERIOR AND EXTERIOR VINYL WRAP
- XL TRANSOM
- SWIMMING PLATFORMS
- HEATING SYSTEM (AUTOTERM AIR 4D)



MODEL GS 63 CABIN



MODEL GS 70 CABIN



SPECIFICATIONS

- LENGTH OF HULL: 7,87 M
- TOTAL LENGTH 8,01 M
- MAX DRAUGHT 0,45 M
- BEAM OF HULL: 2,38 M
- WEIGHT W/O ENGINE: 1600 KG
- POWER RANGE: MAX 200 HP
- NUMBER OF PASSENGERS: 7
- PLATE THICKNESS:
BOTTOM/SIDE/CONSOLE 5/4/3
- FUEL TANK: 150 L
- CE-APPROVAL: C

STANDARD EQUIPMENT

- STEERING CONSOLE
- LANTERNS LED
- SWITCH PANEL WITH 12V OUTLETS
- ELECTRICAL INSTALLATION
- HYDRAULIC STEERING
- NANO COATED EXTERIOR
- TEMPERED GLASS WINDOWS
- CORRUGATED FLOOR
- ELECTRONIC BILGE PUMP
- BOTTOM PAINT (ANTIFOULING)
- SACRIFICIAL ANODES
- SWIM LADDER FOLD DOWN
- SELF-DRAINING HULL
- SEATS X 1
- PEDESTAL X 1
- FUEL LEVEL SENSOR
- BENCHES AND STORAGE COMPARTMENTS X 4
- FULL SET OF SOFT PARTS
- LED STRIPES
- PNEUMATIC CABIN TABLE
- INTERIOR FABRICS
- INTERIOR AND EXTERIOR VINYL WRAP
- XL TRANSOM
- SWIMMING PLATFORMS
- HEATING SYSTEM (AUTOTERM AIR 4D)

MODEL GS 70 CABIN



MODEL GS 99

SPECIFICATIONS

- LENGTH OF HULL: 9,92 M
- BEAM OF HULL: 3,20 M
- MAX DRAUGHT: 0,45 M
- WEIGHT W/O ENGINE: 3400 KG
- POWER RANGE: 300 HP TO 600 HP
- NUMBER OF PASSENGERS: 12
- PLATE THICKNESS:
BOTTOM/SIDE 4/5/6 MM
- FUEL TANK: 2 X 240L
- CE-APPROVAL: B
- TYPE OF ALUMINIUM: 5083

STANDARD EQUIPMENT

- STEERING CONSOLE
- LANTERNS LED
- SWITCH PANEL WITH 12V OUTLETS
- HYDRAULIC STEERING
- NANO COATED EXTERIOR
- TEMPERED GLASS
- SWIM LADDER FOLD DOWN
- SELF-DRAINING HULL
- CUSTOM DRIVER SEAT
- PEDESTAL X1
- FUEL LEVEL SENSOR
- 6+STORAGE COMPARTMENTS



MODEL GS 99



MODEL GSC 105

SPECIFICATIONS

LENGTH OF HULL: 10,50 M
BEAM OF HULL: 3,58 M
WEIGHT W/O ENGINE: 3500 KG
POWER RANGE: 300 HP TO 600 HP
NUMBER OF PASSENGERS: 12
PLATE THICKNESS:
BOTTOM/SIDE 5/6 MM
FUEL TANK: 2 X 350 L
CE-APPROVAL: C
TYPE OF ALUMINIUM: 5083 H111

STANDARD EQUIPMENT

- STEERING CONSOLE
- LANTERNS LED
- SWITCH PANEL WITH 12V OUTLETS
- HYDRAULIC STEERING
- NANO COATED EXTERIOR
- TEMPERED GLASS
- SWIM LADDER FOLD DOWN
- SELF-DRAINING HULL
- CUSTOM DRIVER SEAT
- PEDESTAL X1
- FUEL LEVEL SENSOR
- 6+STORAGE COMPARTMENTS



MODEL GSC 105





CONTACTS

UAB GLISERIS
TAIKOS AVE. 48B, LT-91213
KLAIPEDA , LITHUANIA

INFO@GLISERIS.LT
+370 630 00497
WWW.GLISERIS.LT
WWW.SIGMARIS.LT



GLISERIS
ALUMINIUM BOATS